



— Clean Every Time —

P.O. Box 220 * 16024 Hwy 431 Headland AL 36345
(334)-693-3318 (800)-654-8030 Fax (334)-693-5416
www.rushingenterprises.com

TECHNICAL DATA SHEET

PRODUCT: PC-1A

GENERAL DESCRIPTION

PC-1A is an ultra-high-performance liquid, acidic cleaner and brightener designed to be used in the Step 1 application of two-step truck wash systems. PC-1A includes a blend of highly effective, yet safe acids to remove oxidation from aluminum surfaces such as fuel tanks and rub rails. PC-1A also includes a chemical surfactant cleaning system that effectively loosens and helps remove difficult inorganic road films. When followed by one of our Step 2 alkaline cleaning products a 2-step cleaning system is created that is unbeatable in the fleet wash industry.

OPERATING RECOMMENDATIONS

Dilutions are approximate and may be varied:

For Step One Cleaning	Dilute 1:120 – 1:60
For Manual Aluminum Brightening	Dilute 1:40 – 1:20

***Do not allow cleaning solution to dry on the surface. Work from bottom up with application and rinse thoroughly. To avoid streaks, keep cleaning solution off trailer roof and rinse adequately.**

Rushing Performance.....Clean EVERY TIME!



SPECIFICATIONS

Form:	Blue, liquid
Odor:	Acidic, Solvent
Specific Gravity:	1.06
Acidity:	High
pH @ 3%:	2.0-3.0

CONTROL

1. Fill graduated vial to the 10ml mark with the solution to be tested.
2. Add 3 drops phenolphthalein indicator solution. Swirl to mix.
3. Titrate dropwise using 0.1N Sodium Hydroxide swirling to mix until all light pink endpoint is achieved counting each drop.
4. Number of drops to reach light pink color x 0.32% = % concentration PC-1A.

SAFETY STATEMENT

Caution: Highly Acidic Liquid. Contains Hydrochloric acid, Hydrofluoric acid, or Urea Hydrochloride. In undilute form can burn skin and eyes on contact. Harmful if swallowed. Do not take internally. For eye contact, immediately flush eyes with water for 15 minutes holding eyelids apart. Get immediate medical attention. For skin contact, immediately flush with water until no chemical can be felt on skin (slickness disappears). Treat symptoms, get medical attention if necessary.

Open drums slowly to vent. Handle with proper PPE including rubber gloves, eye protection, rubber apron and rubber boots. Avoid breathing vapor or mist. **DO NOT add this product to caustics. CONSULT SDS FOR COMPLETE SAFETY INFORMATION.**

Rushing Performance.....Clean EVERY TIME!